

## COMPANY INTRODUCTION 企业简介

宁波博优厨房电器有限公司位于宁波杭州湾新区庵东工业园区，是一家专业生产空气炸锅的企业，是国内领先的家用电器生产企业，博优厨房电器前身是宁波慈立恒温科技有限公司，从2022年开始在厨房电器领域发展。

公司目前拥有十万多平方米的生产基地，3条生产流水线。博优的主要产品是厨房电器，客户来自欧洲、北美、南美、中东等世界各地许多国家。博优的所有产品都是我厂设计的专利产品。获得欧盟CE/GS EMC/ROHS/PAH/REACH认证，美国UL、ETL认证。我们欢迎世界各地的客户前来洽谈业务。

博优一如既往地秉持“一流品质，用心追求”经营理念，与国内外的新老客户真诚携手合作，共创美好未来！



Ningbo Boyou Kitchen Appliances Co., LTD., located in Andong Industrial Park, Hangzhou Bay New District, Ningbo, is a professional manufacturer of air fryers and a leading domestic household appliances factory. Boyou Kitchen Appliances was formerly known as Ningbo Cili Thermotech Co., LTD.

The company has been developing in the field of kitchen appliances since 2022.

It has more than 100,000 m<sup>2</sup> of production base, 3 production lines. Boyou's main products are kitchen appliances, customers from Europe, North America, South America, the Middle East and many other countries around the world. All of the products are patented designed by our factory. We have EU certifications such as CE/GS EMC/ROHS/PAH/REACH and American certifications such as UL, ETL. We warmly welcome customers from all over the world to build long business-ship.

Boyou adheres to the business philosophy of "first-class quality, diligent pursuit", and sincerely hope to cooperate with new and old customers at home and abroad.

Let's create a better future together!





## 空气炸锅 AIR FRYER

### 产品亮点

Product function

- ◎ 360° 热循环技术去除油脂，减少油脂摄入。
- ◎ 机械式旋钮控制，精确控制烹饪时间，简单易用。
- ◎ 烹饪温度适用范围：  
80-200度适用各种食材，0-60分钟定时关闭功能。
- ◎ 抽出锅体自动断电，安全可靠。
- ◎ 360°thermal cycle technology to remove oil and reduce oil intake.
- ◎ Mechanical knob control, accurate control of cooking time, easy to use.
- ◎ Cooking temperature range:  
80-200 degrees for a variety of ingredients, 0-60 minutes timer off function, accurate control of cooking time.
- ◎ Draw out the blast basket automatically power off, safe and reliable.

### 技术参数

Technical parameter

型号 (Type No.)	操作方式 (Working version)	炸锅容量 (Pot capacity)	功率 (Rated power)
BY118-1	机械款 (Mechanical)	4.5L	1300-1500W 1200W
额定电压 (Rated Voltage)	毛重 (Gross weight)	产品尺寸 (Product size)	彩盒包装尺寸 (Gift Box (mm))
220-240V~ 50/60Hz 120V~ 60Hz	4.1Kg	340×255×327mm	315*315*354mm



## 空气炸锅 AIR FRYER

### 产品亮点

Product function

- ◎ 360° 热循环技术去除油脂，减少油脂摄入。
- ◎ 触摸式控制，预设9个菜单，简单易用。
- ◎ 烹饪温度适用范围：  
80-200度适用各种食材，0-60分钟定时关闭功能，精确控制烹饪时间。
- ◎ 抽出炸篮自动断电，安全可靠。
- ◎ 360°thermal cycle technology to remove oil and reduce oil intake.
- ◎ Touch control, preset 9 menus, easy to use.
- ◎ Cooking temperature range:  
80-200 degrees for a variety of ingredients, 0-60 minutes timer off function, accurate control of cooking time.
- ◎ Draw out the blast basket automatically power off, safe and reliable.

### 技术参数

Technical parameter

型号 (Type No.)	操作方式 (Working version)	炸锅容量 (Pot capacity)	功率 (Rated power)
BY118-1D	液晶触屏显示 (Digital Panel Display)	4.5L	1300-1500W 1200W
额定电压 (Rated Voltage)	毛重 (Gross weight)	产品尺寸 (Product size)	彩盒包装尺寸 (Gift Box (mm))
220-240V~ 50/60Hz 120V~ 60Hz	4.0Kg	340×255×313mm	315*315*354mm





## 产品亮点

Product function

- ◎ 360° 热循环技术去除油脂，减少油脂摄入。拥有可视窗口
- ◎ 触摸式控制，预设9个菜单，简单易用。
- ◎ 烹饪温度适用范围：  
80-200度适用各种食材，0-60分钟定时关闭功能，精确控制烹饪时间。
- ◎ 抽出炸篮自动断电，安全可靠。
- ◎ 360°thermal cycle technology to remove oil and reduce oil intake .Have viewable window
- ◎ Touch control, preset 9 menus, easy to use.
- ◎ Cooking temperature range:  
80-200 degrees for a variety of ingredients, 0-60 minutes timer off function, accurate control of cooking time.
- ◎ Draw out the blast basket automatically power off, safe and reliable.

## 技术参数

Technical parameter

型号 (Type No.)	操作方式 (Working version)	炸锅容量 (Pot capacity)	功率 (Rated power)
BY118T-1D	液晶触屏显示 (Digital Panel Display)	4.5L	1300-1500W 1200W
额定电压 (Rated Voltage)	毛重 (Gross weight)	产品尺寸 (Product size)	彩盒包装尺寸 Gift Box(mm)
220-240V~ 50/60Hz	4.0Kg	340×255×313mm	315*315*354mm



## 产品亮点

Product function

- ◎ 360° 热循环技术去除油脂，减少油脂摄入。拥有可视窗口
- ◎ 机械式旋钮控制，精确控制烹饪时间，简单易用。
- ◎ 烹饪温度适用范围：  
80-200度适用各种食材，0-60分钟定时关闭功能。
- ◎ 抽出锅体自动断电，安全可靠。
- ◎ 360°thermal cycle technology to remove oil and reduce oil intake .Have viewable window
- ◎ Mechanical knob control, accurate control of cooking time, easy to use.
- ◎ Cooking temperature range:  
80-200 degrees for a variety of ingredients, 0-60 minutes timer off function, accurate control of cooking time.
- ◎ Draw out the blast basket automatically power off, safe and reliable.

## 技术参数

Technical parameter

型号 (Type No.)	操作方式 (Working version)	炸锅容量 (Pot capacity)	功率 (Rated power)
BY118T-1	机械款 (Mechanical)	4.5L	1300-1500W 1200W
额定电压 (Rated Voltage)	毛重 (Gross weight)	产品尺寸 (Product size)	彩盒包装尺寸 Gift Box(mm)
220-240V~ 50/60Hz 120V~ 60Hz	4.1Kg	340×255×327mm	315*315*354mm



## 产品亮点

Product function

- ◎ 360° 热循环技术去除油脂，减少油脂摄入。
- ◎ 触摸式控制，预设7个菜单，简单易用。
- ◎ 烹饪温度适用范围：  
80-200度适用各种食材，0-60分钟定时关闭功能，精确控制烹饪时间。
- ◎ 抽出炸篮自动断电，安全可靠。
- ◎ 360°thermal cycle technology to remove oil and reduce oil intake.
- ◎ Touch control, preset 7 menus, easy to use.
- ◎ Cooking temperature range:  
80-200 degrees for a variety of ingredients, 0-60 minutes timer off function, accurate control of cooking time.
- ◎ Draw out the blast basket automatically power off, safe and reliable.

## 技术参数

Technical parameter

型号 (Type No.)	操作方式 (Working version)	炸锅容量 (Pot capacity)	功率 (Rated power)
BY118-4D	液晶触屏显示 (Digital Panel Display)	4.5L	1300-1500W 1200W
额定电压 (Rated Voltage)	毛重 (Gross weight)	产品尺寸 (Product size)	彩盒包装尺寸 Gift Box(mm)
220-240V~ 50/60Hz 120V~ 60Hz	4.0Kg	340×255×319mm	315*315*354mm



## 产品亮点

Product function

- ◎ 360° 热循环技术去除油脂，减少油脂摄入。
- ◎ 机械式旋钮控制，精确控制烹饪时间，简单易用。
- ◎ 烹饪温度适用范围：  
80-200度适用各种食材，0-60分钟定时关闭功能。
- ◎ 抽出炸篮自动断电，安全可靠。
- ◎ 360°thermal cycle technology to remove oil and reduce oil intake.
- ◎ Mechanical knob control, accurate control of cooking time, easy to use.
- ◎ Cooking temperature range:  
80-200 degrees for a variety of ingredients, 0-60 minutes timer off function, accurate control of cooking time.
- ◎ Draw out the blast basket automatically power off, safe and reliable.

## 技术参数

Technical parameter

型号 (Type No.)	操作方式 (Working version)	炸锅容量 (Pot capacity)	功率 (Rated power)
BY118-4	机械款 (Mechanical)	4.5L	1300-1500W 1200W
额定电压 (Rated Voltage)	毛重 (Gross weight)	产品尺寸 (Product size)	彩盒包装尺寸 Gift Box(mm)
220-240V~ 50/60Hz 120V~ 60Hz	4.0Kg	340×255×319mm	315*315*354mm



## 产品亮点

Product function

- ◎ 360° 热循环技术去除油脂，减少油脂摄入。
- ◎ 机械式旋钮控制，精确控制烹饪时间，简单易用。
- ◎ 烹饪温度适用范围：  
80-200度适用各种食材，0-60分钟定时关闭功能。
- ◎ 抽出锅体自动断电，安全可靠。
- ◎ 360°thermal cycle technology to remove oil and reduce oil intake.
- ◎ Mechanical knob control, accurate control of cooking time, easy to use.
- ◎ Cooking temperature range:  
80-200 degrees for a variety of ingredients, 0-60 minutes timer off function, accurate control of cooking time.
- ◎ Draw out the blast basket automatically power off, safe and reliable.

## 技术参数

Technical parameter

型号 (Type No.)	操作方式 (Working version)	炸锅容量 (Pot capacity)	功率 (Rated power)
BY118S-1	机械款 (Mechanical)	4.5L	1300-1500W 1200W
额定电压 (Rated Voltage)	毛重 (Gross weight)	产品尺寸 (Product size)	彩盒包装尺寸 (Gift Box(mm))
220-240V~ 50/60Hz 120V~ 60Hz	4.1Kg	340×255×327mm	315*315*354mm



## 产品亮点

Product function

- ◎ 360° 热循环技术去除油脂，减少油脂摄入。
- ◎ 触摸式控制，预设9个菜单，简单易用。
- ◎ 烹饪温度适用范围：  
80-200度适用各种食材，0-60分钟定时关闭功能，精确控制烹饪时间。
- ◎ 抽出炸篮自动断电，安全可靠。
- ◎ 360°thermal cycle technology to remove oil and reduce oil intake
- ◎ Touch control, preset 9 menus, easy to use.
- ◎ Cooking temperature range:  
80-200 degrees for a variety of ingredients, 0-60 minutes timer off function, accurate control of cooking time.
- ◎ Draw out the blast basket automatically power off, safe and reliable.

## 技术参数

Technical parameter

型号 (Type No.)	操作方式 (Working version)	炸锅容量 (Pot capacity)	功率 (Rated power)
BY118S-1D	液晶触屏显示 (Digital Panel Display)	4.5L	1300-1500W 1200W
额定电压 (Rated Voltage)	毛重 (Gross weight)	产品尺寸 (Product size)	彩盒包装尺寸 (Gift Box(mm))
220-240V~ 50/60Hz 120V~ 60Hz	4.0Kg	340×255×313mm	315*315*354mm



### 产品亮点

Product function

- ◎ 360° 热循环技术去除油脂，减少油脂摄入。
- ◎ 触摸式控制，预设9个菜单，简单易用。
- ◎ 烹饪温度适用范围：  
80-200度适用各种食材，0-60分钟定时关闭功能。
- ◎ 抽出锅体自动断电，安全可靠。
- ◎ 360°thermal cycle technology to remove oil and reduce oil intake.
- ◎ Touch control, preset 9 menus, easy to use.
- ◎ Cooking temperature range:  
80-200 degrees for a variety of ingredients, 0-60 minutes timer off function, accurate control of cooking time.
- ◎ Draw out the blast basket automatically power off, safe and reliable.

### 技术参数

Technical parameter

型号 (Type No.)	操作方式 (Working version)	炸锅容量 (Pot capacity)	功率 (Rated power)
BY118S-5D	液晶触屏显示 (Digital Panel Display)	4.5L	1300-1500W 1200W
额定电压 (Rated Voltage)	毛重 (Gross weight)	产品尺寸 (Product size)	彩盒包装尺寸 Gift Box(mm)
220-240V~ 50/60Hz 120V~ 60Hz	4.1Kg	342×255×306mm	315*315*354mm

### 产品亮点

Product function

- ◎ 360° 热循环技术去除油脂，减少油脂摄入。
- ◎ 触摸式控制，预设9个菜单，简单易用。
- ◎ 烹饪温度适用范围：  
80-200度适用各种食材，0-60分钟定时关闭功能，精确控制烹饪时间。
- ◎ 抽出炸篮自动断电，安全可靠。
- ◎ 360°thermal cycle technology to remove oil and reduce oil intake.
- ◎ Touch control, preset 9 menus, easy to use.
- ◎ Cooking temperature range:  
80-200 degrees for a variety of ingredients, 0-60 minutes timer off function, accurate control of cooking time.
- ◎ Draw out the blast basket automatically power off, safe and reliable.

### 技术参数

Technical parameter

型号 (Type No.)	操作方式 (Working version)	炸锅容量 (Pot capacity)	功率 (Rated power)
BY118S-5D-S	液晶触屏显示 (Digital Panel Display)	4.5L	1300-1500W 1200W
额定电压 (Rated Voltage)	毛重 (Gross weight)	产品尺寸 (Product size)	彩盒包装尺寸 Gift Box(mm)
220-240V~ 50/60Hz 120V~ 60Hz	4.1Kg	342×255×306mm	315*315*354mm



### 产品亮点

Product function

- ◎ 360° 热循环技术去除油脂，减少油脂摄入。
- ◎ 触摸式控制，预设8个菜单，简单易用。
- ◎ 烹饪温度适用范围：  
80-200度适用各种食材，0-60分钟定时关闭功能。
- ◎ 抽出锅体自动断电，安全可靠。
- ◎ 360°thermal cycle technology to remove oil and reduce oil intake.
- ◎ Touch control, preset 8 menus, easy to use.
- ◎ Cooking temperature range:  
80-200 degrees for a variety of ingredients, 0-60 minutes timer off function, accurate control of cooking time.
- ◎ Draw out the blast basket automatically power off, safe and reliable.

### 技术参数

Technical parameter

型号 (Type No.)	操作方式 (Working version)	炸锅容量 (Pot capacity)	功率 (Rated power)
BY6001D-S	液晶触屏显示 (Digital Panel Display)	6.0L	1600-1800W 1700W
额定电压 (Rated Voltage)	毛重 (Gross weight)	产品尺寸 (Product size)	彩盒包装尺寸 Gift Box(mm)
220-240V~ 50/60Hz 120V~ 60Hz	/	403×308×320mm	/

### 产品亮点

Product function

- ◎ 360° 热循环技术去除油脂，减少油脂摄入。拥有可视窗口
- ◎ 触摸式控制，预设8个菜单，简单易用。
- ◎ 烹饪温度适用范围：  
80-200度适用各种食材，0-60分钟定时关闭功能，精确控制烹饪时间。
- ◎ 抽出炸篮自动断电，安全可靠。
- ◎ 360°thermal cycle technology to remove oil and reduce oil intake. Have viewable window
- ◎ Touch control, preset 8 menus, easy to use.
- ◎ Cooking temperature range:  
80-200 degrees for a variety of ingredients, 0-60 minutes timer off function, accurate control of cooking time.
- ◎ Draw out the blast basket automatically power off, safe and reliable.

### 技术参数

Technical parameter

型号 (Type No.)	操作方式 (Working version)	炸锅容量 (Pot capacity)	功率 (Rated power)
BY6001D-TS	液晶触屏显示 (Digital Panel Display)	6.0L	1600-1800W 1700W
额定电压 (Rated Voltage)	毛重 (Gross weight)	产品尺寸 (Product size)	彩盒包装尺寸 Gift Box(mm)
220-240V~ 50/60Hz 120V~ 60Hz	/	403×308×320mm	/





### 产品亮点

Product function

- ◎ 360° 热循环技术去除油脂，减少油脂摄入。
- ◎ 触摸式控制，预设8个菜单，简单易用。
- ◎ 烹饪温度适用范围：  
80-200度适用各种食材，0-60分钟定时关闭功能。
- ◎ 抽出锅体自动断电，安全可靠。
- ◎ 360°thermal cycle technology to remove oil and reduce oil intake.
- ◎ Touch control, preset 8 menus, easy to use.
- ◎ Cooking temperature range:  
80-200 degrees for a variety of ingredients, 0-60 minutes timer off function, accurate control of cooking time.
- ◎ Draw out the blast basket automatically power off, safe and reliable.

### 技术参数

Technical parameter

型号 (Type No.)	操作方式 (Working version)	炸锅容量 (Pot capacity)	功率 (Rated power)
BY8011D	液晶触屏显示 (Digital Panel Display)	8.0L	1600-1800W 1700W
额定电压 (Rated Voltage)	毛重 (Gross weight)	产品尺寸 (Product size)	彩盒包装尺寸 (Gift Box(mm))
220-240V~50/60Hz 120V~60Hz	5.2Kg	405×300×357mm	385*385*408mm

### 产品亮点

Product function

- ◎ 360° 热循环技术去除油脂，减少油脂摄入。拥有可视窗口
- ◎ 触摸式控制，预设8个菜单，简单易用。
- ◎ 烹饪温度适用范围：  
80-200度适用各种食材，0-60分钟定时关闭功能，精确控制烹饪时间。
- ◎ 抽出炸篮自动断电，安全可靠。
- ◎ 360°thermal cycle technology to remove oil and reduce oil intake .Have viewable window
- ◎ Touch control, preset 8 menus, easy to use.
- ◎ Cooking temperature range:  
80-200 degrees for a variety of ingredients, 0-60 minutes timer off function, accurate control of cooking time.
- ◎ Draw out the blast basket automatically power off, safe and reliable.

### 技术参数

Technical parameter

型号 (Type No.)	操作方式 (Working version)	炸锅容量 (Pot capacity)	功率 (Rated power)
BY8011D-T	液晶触屏显示 (Digital Panel Display)	8.0L	1600-1800W 1700W
额定电压 (Rated Voltage)	毛重 (Gross weight)	产品尺寸 (Product size)	彩盒包装尺寸 (Gift Box(mm))
220-240V~50/60Hz 120V~60Hz	5.2Kg	405×300×357mm	385*385*408mm



### 产品亮点

Product function

- ◎ 360° 热循环技术去除油脂，减少油脂摄入。拥有可视窗口
- ◎机械式旋钮控制，精确控制烹饪时间，简单易用。
- ◎烹饪温度适用范围：  
80-200度适用各种食材，0-60分钟定时关闭功能。
- ◎抽出锅体自动断电，安全可靠。
- ◎ 360°thermal cycle technology to remove oil and reduce oil intake. .Have viewable window
- ◎ Mechanical knob control, accurate control of cooking time, easy to use.
- ◎Cooking temperature range:  
80-200 degrees for a variety of ingredients, 0-60 minutes timer off function, accurate control of cooking time.
- ◎ Draw out the blast basket automatically power off, safe and reliable.

### 技术参数

Technical parameter

型号 (Type No.)	操作方式 (Working version)	炸锅容量 (Pot capacity)	功率 (Rated power)
BY8011-T	机械款 (Mechanical)	8.0L	1600-1800W 1700W
额定电压 (Rated Voltage)	毛重 (Gross weight)	产品尺寸 (Product size)	彩盒包装尺寸 Gift Box(mm)
220-240V~ 50/60Hz 120V~ 60Hz	5.3Kg	405×300×357mm	385*385*408mm

### 产品亮点

Product function

- ◎ 360° 热循环技术去除油脂，减少油脂摄入。
- ◎机械式旋钮控制，精确控制烹饪时间，简单易用。
- ◎烹饪温度适用范围：  
80-200度适用各种食材，0-60分钟定时关闭功能。
- ◎抽出锅体自动断电，安全可靠。
- ◎ 360°thermal cycle technology to remove oil and reduce oil intake.
- ◎ Mechanical knob control, accurate control of cooking time, easy to use.
- ◎Cooking temperature range:  
80-200 degrees for a variety of ingredients, 0-60 minutes timer off function, accurate control of cooking time.
- ◎ Draw out the blast basket automatically power off, safe and reliable.

### 技术参数

Technical parameter

型号 (Type No.)	操作方式 (Working version)	炸锅容量 (Pot capacity)	功率 (Rated power)
BY8011	机械款 (Mechanical)	8.0L	1600-1800W 1700W
额定电压 (Rated Voltage)	毛重 (Gross weight)	产品尺寸 (Product size)	彩盒包装尺寸 Gift Box(mm)
220-240V~ 50/60Hz 120V~ 60Hz	5.3Kg	405×300×357mm	385*385*408mm



### 产品亮点

Product function

- ◎ 360° 热循环技术去除油脂，减少油脂摄入。
- ◎ 机械式旋钮控制，精确控制烹饪时间，简单易用。
- ◎ 烹饪温度适用范围：  
80-200度适用各种食材，0-60分钟定时关闭功能。
- ◎ 抽出锅体自动断电，安全可靠。
- ◎ 360°thermal cycle technology to remove oil and reduce oil intake.
- ◎ Mechanical knob control, accurate control of cooking time, easy to use.
- ◎ Cooking temperature range:  
80-200 degrees for a variety of ingredients, 0-60 minutes timer off function, accurate control of cooking time.
- ◎ Draw out the blast basket automatically power off, safe and reliable.

### 技术参数

Technical parameter

型号 (Type No.)	操作方式 (Working version)	炸锅容量 (Pot capacity)	功率 (Rated power)
BY8012	机械款 (Mechanical)	8.0L	1600-1800W 1700W
额定电压 (Rated Voltage)	毛重 (Gross weight)	产品尺寸 (Product size)	彩盒包装尺寸 (Gift Box(mm))
220-240V~50/60Hz 120V~60Hz	5.3Kg	405×300×357mm	385*385*408mm



### 产品亮点

Product function

- ◎ 360° 热循环技术去除油脂，减少油脂摄入。拥有可视窗口
- ◎ 机械式旋钮控制，精确控制烹饪时间，简单易用。
- ◎ 烹饪温度适用范围：  
80-200度适用各种食材，0-60分钟定时关闭功能。
- ◎ 抽出锅体自动断电，安全可靠。
- ◎ 360°thermal cycle technology to remove oil and reduce oil intake. .Have viewable window
- ◎ Mechanical knob control, accurate control of cooking time, easy to use.
- ◎ Cooking temperature range:  
80-200 degrees for a variety of ingredients, 0-60 minutes timer off function, accurate control of cooking time.
- ◎ Draw out the blast basket automatically power off, safe and reliable.

### 技术参数

Technical parameter

型号 (Type No.)	操作方式 (Working version)	炸锅容量 (Pot capacity)	功率 (Rated power)
BY8012-T	机械款 (Mechanical)	8.0L	1600-1800W 1700W
额定电压 (Rated Voltage)	毛重 (Gross weight)	产品尺寸 (Product size)	彩盒包装尺寸 (Gift Box(mm))
220-240V~50/60Hz 120V~60Hz	5.3Kg	405×300×357mm	385*385*408mm



### 产品亮点

Product function

- ◎ 360° 热循环技术去除油脂，减少油脂摄入。
- ◎ 触摸式控制，预设9个菜单，简单易用。
- ◎ 烹饪温度适用范围：  
80-200度适用各种食材，0-60分钟定时关闭功能。
- ◎ 抽出锅体自动断电，安全可靠。
- ◎ 360°thermal cycle technology to remove oil and reduce oil intake.
- ◎ Touch control, preset 9 menus, easy to use.
- ◎ Cooking temperature range:  
80-200 degrees for a variety of ingredients, 0-60 minutes timer off function, accurate control of cooking time.
- ◎ Draw out the blast basket automatically power off, safe and reliable.

### 技术参数

Technical parameter

型号 (Type No.)	操作方式 (Working version)	炸锅容量 (Pot capacity)	功率 (Rated power)
BY-518A	液晶触屏显示 (Digital Panel Display)	6.0L	1500W
额定电压 (Rated Voltage)	毛重 (Gross weight)	产品尺寸 (Product size)	彩盒包装尺寸 (Gift Box (mm))
220-240V~50/60Hz	5.5Kg	375×280×317mm	350x350x360mm

### 产品亮点

Product function

- ◎ 360° 热循环技术去除油脂，减少油脂摄入。拥有可视窗口
- ◎ 机械式旋钮控制，精确控制烹饪时间，简单易用。
- ◎ 烹饪温度适用范围：  
80-200度适用各种食材，0-60分钟定时关闭功能。
- ◎ 抽出锅体自动断电，安全可靠。
- ◎ 360°thermal cycle technology to remove oil and reduce oil intake. .Have viewable window
- ◎ Mechanical knob control, accurate control of cooking time, easy to use.
- ◎ Cooking temperature range:  
80-200 degrees for a variety of ingredients, 0-60 minutes timer off function, accurate control of cooking time.
- ◎ Draw out the blast basket automatically power off, safe and reliable.

### 技术参数

Technical parameter

型号 (Type No.)	操作方式 (Working version)	炸锅容量 (Pot capacity)	功率 (Rated power)
BY-518A-W	机械款 (Mechanical)	6.0L	1500W
额定电压 (Rated Voltage)	毛重 (Gross weight)	产品尺寸 (Product size)	彩盒包装尺寸 (Gift Box (mm))
220-240V~50/60Hz	5.5Kg	375×280×317mm	350x350x360mm



### 产品亮点

Product function

- ◎ 360°热循环技术去除油脂，减少油脂摄入。
- ◎ 触摸式控制，预设12个菜单，简单易用。
- ◎ 烹饪温度适用范围：  
80-200度适用各种食材，0-60分钟定时关闭功能。
- ◎ 抽出锅体自动断电，安全可靠。
- ◎ 360°thermal cycle technology to remove oil and reduce oil intake.
- ◎ Touch control, preset 12 menus, easy to use.
- ◎ Cooking temperature range:  
80-200 degrees for a variety of ingredients, 0-60 minutes timer off function, accurate control of cooking time.
- ◎ Draw out the blast basket automatically power off, safe and reliable.

### 技术参数

Technical parameter

型号 (Type No.)	操作方式 (Working version)	炸锅容量 (Pot capacity)	功率 (Rated power)
BY-508A	液晶触屏显示 (Digital Panel Display)	6.0L	1500W
额定电压 (Rated Voltage)	毛重 (Gross weight)	产品尺寸 (Product size)	彩盒包装尺寸 (Gift Box(mm))
220-240V~50/60Hz	5.0Kg	348×280×323mm	355x355x370mm

### 产品亮点

Product function

- ◎ 360°热循环技术去除油脂，减少油脂摄入。
- ◎ 触摸式控制，预设10个菜单，简单易用。
- ◎ 烹饪温度适用范围：  
80-200度适用各种食材，0-60分钟定时关闭功能。
- ◎ 抽出锅体自动断电，安全可靠。
- ◎ 360°thermal cycle technology to remove oil and reduce oil intake.
- ◎ Touch control, preset 10 menus, easy to use.
- ◎ Cooking temperature range:  
80-200 degrees for a variety of ingredients, 0-60 minutes timer off function, accurate control of cooking time.
- ◎ Draw out the blast basket automatically power off, safe and reliable.

### 技术参数

Technical parameter

型号 (Type No.)	操作方式 (Working version)	炸锅容量 (Pot capacity)	功率 (Rated power)
BY-8002A-S	液晶触屏显示 (Digital Panel Display)	8.0L	1700W
额定电压 (Rated Voltage)	毛重 (Gross weight)	产品尺寸 (Product size)	彩盒包装尺寸 (Gift Box(mm))
220-240V~50/60Hz	5.25Kg	414×310×348mm	410x350x385mm



### 产品亮点

Product function

- ◎ 360° 热循环技术去除油脂，减少油脂摄入。
- ◎ 触摸式控制，预设10个菜单，简单易用。
- ◎ 烹饪温度适用范围：  
80-200度适用各种食材，0-60分钟定时关闭功能。
- ◎ 抽出锅体自动断电，安全可靠。
- ◎ 360°thermal cycle technology to remove oil and reduce oil intake.
- ◎ Touch control, preset 10 menus, easy to use.
- ◎ Cooking temperature range:  
80-200 degrees for a variety of ingredients, 0-60 minutes timer off function, accurate control of cooking time.
- ◎ Draw out the blast basket automatically power off, safe and reliable.

### 技术参数

Technical parameter

型号 (Type No.)	操作方式 (Working version)	炸锅容量 (Pot capacity)	功率 (Rated power)
BY-8005A	液晶触屏显示 (Digital Panel Display)	8.0L	1700W
额定电压 (Rated Voltage)	毛重 (Gross weight)	产品尺寸 (Product size)	彩盒包装尺寸 (Gift Box(mm))
220-240V~50/60Hz	5.25Kg	414×310×348mm	410x350x385mm



### 产品亮点

Product function

- ◎ 360° 热循环技术去除油脂，减少油脂摄入。拥有可视窗口
- ◎ 触摸式控制，预设10个菜单，简单易用。
- ◎ 烹饪温度适用范围：  
80-200度适用各种食材，0-60分钟定时关闭功能。
- ◎ 抽出锅体自动断电，安全可靠。
- ◎ 360°thermal cycle technology to remove oil and reduce oil intake. .Have viewable window
- ◎ Touch control, preset 10 menus, easy to use.
- ◎ Cooking temperature range:  
80-200 degrees for a variety of ingredients, 0-60 minutes timer off function, accurate control of cooking time.
- ◎ Draw out the blast basket automatically power off, safe and reliable.

### 技术参数

Technical parameter

型号 (Type No.)	操作方式 (Working version)	炸锅容量 (Pot capacity)	功率 (Rated power)
BY-8005A-W	液晶触屏显示 (Digital Panel Display)	8.0L	1700W
额定电压 (Rated Voltage)	毛重 (Gross weight)	产品尺寸 (Product size)	彩盒包装尺寸 (Gift Box(mm))
220-240V~50/60Hz	5.25Kg	414×310×348mm	410x350x385mm



### 产品亮点

Product function

- ◎ 360° 热循环技术去除油脂，减少油脂摄入。
- ◎ 触摸式控制，预设8个菜单，简单易用。
- ◎ 烹饪温度适用范围：  
80-200度适用各种食材，0-60分钟定时关闭功能。
- ◎ 抽出锅体自动断电，安全可靠。
- ◎ 360°thermal cycle technology to remove oil and reduce oil intake.
- ◎ Touch control, preset 8 menus, easy to use.
- ◎ Cooking temperature range:  
80-200 degrees for a variety of ingredients, 0-60 minutes timer off function, accurate control of cooking time.
- ◎ Draw out the blast basket automatically power off, safe and reliable.

### 技术参数

Technical parameter

型号 (Type No.)	操作方式 (Working version)	炸锅容量 (Pot capacity)	功率 (Rated power)
BY-902A	液晶触屏显示 (Digital Panel Display)	8.5L	2000W
额定电压 (Rated Voltage)	毛重 (Gross weight)	产品尺寸 (Product size)	彩盒包装尺寸 (Gift Box(mm))
220-240V~50/60Hz	7Kg	374×393×329mm	421x411x385mm

### 产品亮点

Product function

- ◎ 360° 热循环技术去除油脂，减少油脂摄入。
- ◎ 触摸式控制，预设8个菜单，简单易用。
- ◎ 烹饪温度适用范围：  
80-200度适用各种食材，0-60分钟定时关闭功能。
- ◎ 抽出锅体自动断电，安全可靠。
- ◎ 360°thermal cycle technology to remove oil and reduce oil intake.
- ◎ Touch control, preset 8 menus, easy to use.
- ◎ Cooking temperature range:  
80-200 degrees for a variety of ingredients, 0-60 minutes timer off function, accurate control of cooking time.
- ◎ Draw out the blast basket automatically power off, safe and reliable.

### 技术参数

Technical parameter

型号 (Type No.)	操作方式 (Working version)	炸锅容量 (Pot capacity)	功率 (Rated power)
BY-902A-S	液晶触屏显示 (Digital Panel Display)	8.5L	2000W
额定电压 (Rated Voltage)	毛重 (Gross weight)	产品尺寸 (Product size)	彩盒包装尺寸 (Gift Box(mm))
220-240V~50/60Hz	7Kg	374×393×329mm	421x411x385mm



### 产品亮点

Product function

- ◎ 360° 热循环技术去除油脂，减少油脂摄入。
- ◎ 触摸式控制，预设8个菜单，简单易用。
- ◎ 烹饪温度适用范围：  
80-200度适用各种食材，0-60分钟定时关闭功能。
- ◎ 抽出锅体自动断电，安全可靠。
- ◎ 360°thermal cycle technology to remove oil and reduce oil intake.
- ◎ Touch control, preset 8 menus, easy to use.
- ◎ Cooking temperature range:  
80-200 degrees for a variety of ingredients, 0-60 minutes timer off function, accurate control of cooking time.
- ◎ Draw out the blast basket automatically power off, safe and reliable.

### 技术参数

Technical parameter

型号 (Type No.)	操作方式 (Working version)	炸锅容量 (Pot capacity)	功率 (Rated power)
BY-901A	液晶触屏显示 (Digital Panel Display)	8.0L	2000W
额定电压 (Rated Voltage)	毛重 (Gross weight)	产品尺寸 (Product size)	彩盒包装尺寸 (Gift Box (mm))
220-240V~50/60Hz	7Kg	374×393×329mm	421x411x385mm

### 产品亮点

Product function

- ◎ 360° 热循环技术去除油脂，减少油脂摄入。拥有可视窗口
- ◎ 触摸式控制，预设8个菜单，简单易用。
- ◎ 烹饪温度适用范围：  
80-200度适用各种食材，0-60分钟定时关闭功能。
- ◎ 抽出锅体自动断电，安全可靠。
- ◎ 360°thermal cycle technology to remove oil and reduce oil intake. .Have viewable window
- ◎ Touch control, preset 8 menus, easy to use.
- ◎ Cooking temperature range:  
80-200 degrees for a variety of ingredients, 0-60 minutes timer off function, accurate control of cooking time.
- ◎ Draw out the blast basket automatically power off, safe and reliable.

### 技术参数

Technical parameter

型号 (Type No.)	操作方式 (Working version)	炸锅容量 (Pot capacity)	功率 (Rated power)
BY-901A-W	液晶触屏显示 (Digital Panel Display)	8.0L	2000W
额定电压 (Rated Voltage)	毛重 (Gross weight)	产品尺寸 (Product size)	彩盒包装尺寸 (Gift Box (mm))
220-240V~50/60Hz	7Kg	374×393×329mm	421x411x385mm